

FIG. 1







FIG. 2










FIG. 6






FIG. 7





* lesions smaller than previous ones and appeared to result after insect bites

FIG. 14




FIG. 16




FIG. 17




FIG. 18



FIG. 13A




FIG. 13B




FIG. 12A




FIG. 12B




FIG. 11A




FIG. 11B




FIG. 10A

MJG-001
October 27, 2000
75 mg
Patient's right arm skin lesion
which had been completely open
and wet approximately 1½ months
earlier shows healing with her
decreased skin picking on
topiramate




FIG. 10B

MJG-001 November 15, 2000 125 mg Patient's skin is continuing to heal with decreased skin picking on topiramate.




FIG. 10C

MJG-001 November 20, 2000 125 mg

Patient's skin is showing significant healing with decreased skin picking on topiramate for approximately 2 months.



FIG. 9A

25 mg
Patient already showing healing on left arm lesion from decreased skin picking on low dose topiramate for 1 week. This lesion had been wet and oozing 1 week prior.




FIG. 9B

GFV-003

GFV-003 -

October 30, 2000

November 6, 2000

50 mg

Patient continues showing healing on left arm lesion from decreased skin picking.



FIG. 9C

GFV-003

November 15, 2000

75 mg

Patient continuing to show healing on left arm lesion from decreased skin picking on topiramate as the close up to the lesion shows.



FIG. 9D

GFV-003

November 21, 2000

100 mg

Patient with completely healed over lesi n on left arm from decreased skin picking on topiramate.




FIG. 15A




FIG. 15B